

UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Vigniia 22313-1450 www.uspto.gov

APPLICATION N	O.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
08/701,457		08/22/1996	SEIRO YAHATA	960630	5547
23850	7590	08/12/2003			
	•	ESTERMAN & HA	EXAMINER		
SUITE 10			WIMER, MICHAEL C		
WASHINGTON, DC 20006				ART UNIT	PAPER NUMBER
				2821	
				DATE MAILED: 08/12/2003	

Please find below and/or attached an Office communication concerning this application or proceeding.

•				\sim
``		Application No.	Applicant(s)	14.
		08/701,457	YAHATA ET AL.	
	Office Action Summary	Examiner	Art Unit	
		Michael C. Wimer	2821	
Period fo	The MAILING DATE of this communication a or Reply	ppears on the cover sh	eet with the correspondence ac	ddress
THE - External after - If the - If NC - Failur - Any r	ORTENED STATUTORY PERIOD FOR REP MAILING DATE OF THIS COMMUNICATION resions of time may be available under the provisions of 37 CFR SIX (6) MONTHS from the mailing date of this communication. period for reply specified above is less than thirty (30) days, a reperiod for reply is specified above, the maximum statutory perior to reply within the set or extended period for reply will, by state eply received by the Office later than three months after the mailed patent term adjustment. See 37 CFR 1.704(b).	J. 1.136(a). In no event, however, eply within the statutory minimule will apply and will expire SIX ute, cause the application to be	may a reply be timely filed n of thirty (30) days will be considered time (6) MONTHS from the mailing date of this come ABANDONED (35 U.S.C. § 133).	
1)⊠	Responsive to communication(s) filed on 23	<u>3 May 2003</u> .		
2a)⊠	This action is FINAL . 2b)	This action is non-final		
3) 🗆	Since this application is in condition for allocal closed in accordance with the practice under			ne merits is
· _	on of Claims			
	Claim(s) <u>1-5,8-12,14,15,17-29 and 31-36</u> is/			
	4a) Of the above claim(s) is/are withda	rawn from consideration	on.	
·	Claim(s) is/are allowed.			
-	Claim(s) <u>1-5,8-12,14,15,17-29 and 31-36</u> is/s	are rejected.		
	Claim(s) is/are objected to.			
-	Claim(s) are subject to restriction and on Papers	or election requireme	nt.	
9) 🗌 .	The specification is objected to by the Examir	ner.		
10) 🔲	The drawing(s) filed on is/are: a)□ acc	cepted or b) objected t	o by the Examiner.	
	Applicant may not request that any objection to	the drawing(s) be held in	abeyance. See 37 CFR 1.85(a).	
11) 🗌	The proposed drawing correction filed on	is: a) approved t	o) disapproved by the Examin	ner.
	If approved, corrected drawings are required in			
12)[_]	The oath or declaration is objected to by the E	Examiner.		
Priority u	ınder 35 U.S.C. §§ 119 and 120			
13)	Acknowledgment is made of a claim for forei	gn priority under 35 U	S.C. § 119(a)-(d) or (f).	
a)[☐ All b)☐ Some * c)☐ None of:			
	1. Certified copies of the priority docume	nts have been receive	d.	
•	2. Certified copies of the priority docume	nts have been receive	d in Application No	
* 5	3. Copies of the certified copies of the pr application from the International E see the attached detailed Office action for a list	Bureau (PCT Rule 17.2	2(a)).	Stage
	cknowledgment is made of a claim for domes	•		l application)
_a) ☐ The translation of the foreign language p Acknowledgment is made of a claim for dome	provisional application	has been received.	ar in a second stay.
Attachmen	-	· p. · · · · · · · · · · · · · · · · · ·	00	
1) Notic	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449) Paper No(s)	5) 🔲 No	erview Summary (PTO-413) Paper No tice of Informal Patent Application (PT ter:	
.S. Patent and To PTO-326 (Re		Action Summary	Part of Paper No. 34	

Art Unit: 2821

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- (e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) and the Intellectual Property and High Technology Technical Amendments Act of 2002 do not apply when the reference is a U.S. patent resulting directly or indirectly from an international application filed before November 29, 2000. Therefore, the prior art date of the reference is determined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

2. Claims 1 and 3 are rejected under 35 U.S.C. 102(b) as being anticipated by Noriyuki (Japanese application 60-233904).

Regarding Claims 1 and 3, Noriyuki shows in Fig. 3, an antenna for a transponder comprising a magnetic core composed of a single stack of rectangular metallic thin plates 5, and a coil 6a,b having windings wound on the core parallel to a greater rectangular dimension (i.e., along the direction of the windings and not along the length of the core) of the magnetic core, all arranged as claimed.

Art Unit: 2821

3. Claims 1,3,8 and 11 are rejected under 35 U.S.C. 102(e) as being anticipated by Yoshizawa et al (5567537).

Regarding Claims 1,3,8 and 11, Yoshizawa et al show an antenna for a transponder comprising a magnetic core 1 (Fig. 1) composed of amorphous magnetic material and of a single stack of rectangular metallic thin plates 4 (Fig.2) insulated by oxidation (col. 6, line 16), and a coil 2 having windings wound on the core 1 parallel to a greater rectangular dimension of the core (and not the length of the core), all arranged as claimed.

Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 12,14,15,17-29 and 31-35 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yoshizawa et al (5567537) in view of Hollis (3683389) and yoshio et al (JA 3-64105).

Regarding Claims 12,14,15,17-29 and 31-35, Yoshizawa et al show an antenna for a transponder comprising a magnetic core 1 (Fig. 1) composed of amorphous magnetic material and of a single stack of rectangular metallic thin plates 4 (Fig.2) insulated by oxidation (col. 6, line 16), and a coil 2 wound on the core 1 parallel to a

Art Unit: 2821

greater rectangular dimension of the core, all arranged as claimed. No system of antennas is taught. Thus, Hollis is cited as evidence of obviousness and as resolving the level of ordinary skill in the antenna art, and shows three perpendicular antennas 10,12 and 14, where the magnetic core antennas 12,14 and air core antenna 10 are formed on a common substrate 30 and their axes are mutually perpendicular to one another but the windings cross or are mutually inductive. Thus, Yoshio et al are cited as showing two core antennas arranged with their axes perpendicular but not mutually inductive. It would have been obvious to the skilled artisan to employ the antenna of Yoshizawa et al in the system of Hollis/Yoshio et al, employing the single stack of magnetic material, comprised of magnetic flakes and synthetic resin. The size, shape and composition, etc., of the antenna are all obvious to the skilled artisan employing well known compositions, particularly found obvious by Yoshizawa et al.

6. Claims 2,4,5,9 and 36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yoshizawa et al.

Regarding Claims 2,4,5,9 and 36, the shape (e.g., rounded corners), size, thickness and number of the plates are all obvious design expedients well known to and found obvious by Yoshizawa et al, as claimed.

7. Claims 1 and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wennerberg (3031667) in view of D'Hont (5408243).

Regarding Claims 1 and 19, Wennerberg shows in Fig. 1, a rectangular magnetic core 10 with the coil windings 12 wound on the core parallel to a greater rectangular dimension of the core. However, the core is not composed "of a single stack of

Art Unit: 2821

rectangular metallic thin plates", as claimed. Therefore, D'Hont is cited as resolving the level of ordinary skill in the antenna art and as evidence of obviousness in producing a magnetic core of thin plates. Specifically, D'Hont shows for example in Fig. 7, a transponder antenna (for a badge, card or similar object) with a magnetic core composed of a single stack of rectangular metallic "thin" plates 42A-D of amorphous magnetic material (made of magnetic particles of soft iron or flakes, as claimed, within a synthetic resin) which may be oxidized (as taught in col. 4, lines 30-35) so as to be insulated as recited. No winding of the coil "parallel to a greater rectangular dimension" of the magnetic core appears to be taught. The windings are absent in Fig. 7 without a suggestion as to their winding sense. However, Fig. 3 of D'Hont clearly shows such an arrangement, where the coil 28 is wound on the magnetic core parallel to a greater rectangular dimension of the magnetic core 26, the same as applicant's Figures 6A and 6B. D'Hont further implies that the winding should be wound perpendicular to the Hfield by explanation of the Eddy currents in Col. 3, line 58 to Col. 4, line 62. Thus, it would have been obvious to the skilled artisan to employ the windings in Fig. 3 of D'Hont wound around the Fig. 7 embodiment (perpendicular to the H-field and parallel to the greater rectangular dimension of the core), as claimed. The Fig. 7 embodiment is deemed to show a "single stack of rectangular metallic thin plates" 42A-D because they can be formed as a single unit able to be handled as such. In Column 4, first paragraph, D'Hont describes a "single" stack of a plurality of thin plates, by stating that such an embodiment "displays a rather low quality performance and is lossy," where the stack is 12 mm wide. Instead, D'Hont suggests the use of strips cut to 2 or 3 mm in

Art Unit: 2821

width to form a row of four stacks as in Fig. 7. Finally, it would have been obvious to the skilled artisan to employ the core of D'Hont in lieu of the core 10 of Wennerberg for the purpose of providing a relatively low induction loss with higher operating frequencies as compared with soft iron.

8. Claims 1-5,8-11,19-29 and 36 are rejected under 35 U.S.C. 103(a) as being unpatentable over D'Hont in view of Wennerberg, Spears (3495264) or Fujimoto et al (3750180).

Regarding Claims 1-5,8-11,19-29 and 36, D'Hont shows for example in Fig. 7, a transponder antenna (for a badge, card or similar object) with a magnetic core composed of a single stack of rectangular metallic "thin" plates 42A-D of amorphous magnetic material (made of magnetic particles of soft iron or flakes, as claimed, within a synthetic resin) which may be oxidized (as taught in col. 4, lines 30-35) so as to be insulated as recited. No winding of the coil parallel to a greater rectangular dimension of the magnetic core appears to be taught because the windings are absent in Fig. 7 without a suggestion as to their winding sense. However, Fig. 3 of D'Hont clearly shows such an arrangement, where the coil 28 is wound on the magnetic core parallel to a greater rectangular dimension of the magnetic core 26, the same as applicant's Figures 6A and 6B. D'Hont further implies that the winding should be wound perpendicular to the H-field by explanation of the Eddy currents in Col. 3, line 58 to Col. 4, line 62. Thus, it would have been obvious to the skilled artisan to employ the windings in Fig. 3 of D'Hont wound around the Fig. 7 embodiment (perpendicular to the H-field and parallel to the greater rectangular dimension of the core), as claimed. The Fig. 7 embodiment is

Art Unit: 2821

deemed to show a "single stack of rectangular metallic thin plates" 42A-D because they can be formed as a single unit able to be handled as such. In Column 4, first paragraph, D'Hont describes a "single" stack of a plurality of thin plates, by stating that such an embodiment "displays a rather low quality performance and is lossy" where the stack is 12 mm wide. Instead, D'Hont suggests the use of strips cut to 2 or 3 mm in width to form a row of four stacks as in Fig. 7, forming a 12 mm wide antenna. The secondary references additionally show evidence of obviousness and resolving the level of ordinary skill in the antenna art, where Wennerberg shows coil 12 arranged on rectangular core 10, Spears shows in Fig. 4 the coil wound about the core 21, and Fujimoto et al shows a portion of the coil between terminals 12 parallel to the long sides of the rectangular core 7. It would have been obvious to employ such a directional winding in D'Hont for the purpose of maximizing directional characteristics of a particular geometrical core antenna. Shape and winding, and the direction of the winding, are all obvious design considerations, as evidenced above.

Regarding Claims 2 and 36, badges, cards or flexible sheets (col. 1, lines 15-17) are deemed to have corners that are rounded, and reduced at any angle for the purpose of convenience. Regarding Claims 7,9-11 and 21-29, D'Hont teaches various dimensions and compositions for the elements and is evidence of obviousness that such dimensions and compositions are design expedients dependent upon a particular antenna design and efficiency in the system. The specific dimensions and compositions claimed are obvious to the skilled artisan and notice of such is hereby taken.

Art Unit: 2821

Frequency of operation is obvious to a specific design of the skilled artisan and dependent upon frequency allocation of the particular transponder system.

9. Claims 12,14,15,17 and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Stevens et al (4937586) in view of Takizawa et al (4879570) and D'Hont.

Regarding Claims 12,14,15,17 and 18, Stevens et al show a plate transponder with a spiral, air-cored loop 46 and ferrite loop antenna 48 disposed on a common substrate 34. Only one magnetic core antenna is shown where its axis is perpendicular to the air core loop antenna 46. Thus, Takizawa et al are cited as evidence of obviousness and as resolving the level of ordinary skill in the antenna art and shows a plurality of magnetic core antennas, where at least two antennas are perpendicular to each other. It would have been obvious to the skilled artisan to pluralize the single magnetic core antenna of Stevens et al according to Takizawa et al in order to provide omnidirectional coverage. Further, it would have been obvious to employ the magnetic core antenna of D'Hont in the primary reference devices for the purpose of improving efficiency by reducing eddy currents.

10. Claims 32-35 are rejected under 35 U.S.C. 103(a) as being unpatentable over D'Hont in view of Stevens et al and Takizawa et al.

Regarding Claims 32-35, D'Hont show the claimed structure with respect to Claim 19. Stevens and Takizawa et al are cited as resolving the level of ordinary skill in the antenna art showing plural magnetic core antennas in the transponder environment. It would have been obvious to the skilled artisan to employ the transponder

Art Unit: 2821

arrangement of Stevens et al employing the D'Hont antenna along with an air core, spiral antenna and including a plurality of magnetic core antennas taught by Takizawa et al, effectively pluralizing the D'Hont antenna for system use.

Response to Arguments

11. Applicant's arguments filed may 23, 2003 have been fully considered but they are not persuasive. Specifically, the language "a greater rectangular dimension" is not to be read as the length of the core in Noriyuki. The greater rectangular dimension is the horizontal dimension in Fig. 1 of Noriyuki, the same dimension that the winding is wound upon. The claims read on this reference structure. The added language in Claim 12 is now shown to be obvious by the addition of the Yoshio reference where the coils are not mutually inductive, but the cores are perpendicular.

Conclusion

12. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

Art Unit: 2821

the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

13. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Michael C. Wimer whose telephone number is (703)

305-3555. The examiner can normally be reached on M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Don K. Wong can be reached on (703) 308-4856. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 308-7722

for regular communications and (703) 308-7724 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

Michael C. Wimer Primary Examiner

Page 10

1

Art Unit 2821

MCW 06 August 2003